

ЕВРАЗИЙСКИЙ ЭКОНОМИЧЕСКИЙ СОЮЗ ДЕКЛАРАЦИЯ О СООТВЕТСТВИИ



Заявитель Общество с ограниченной ответственностью "БТЛ"

Место нахождения: Россия, Москва, 125445, улица Смольная, дом 24А, этаж 10 Часть пом. №3, адрес места осуществления деятельности: Россия, 115432, город Москва, проспект Андропова, дом 18, корпус 5, этаж 13, основной государственный регистрационный номер: 1137746154897, номер телефона: +74957272777, адрес электронной почты: info@navigator-light.ru

в лице Генерального директора Стрекалова Дмитрия Викторовича

заявляет, что Светильник светодиодный торговой марки Онлайт, серии OBL. Модели продукции по приложению № 1, количество листов: 3

изготовитель XIAMEN NEEH OPTICAL ELECTRONIC TECHNOLOGY CO., LTD. Место нахождения и адрес места осуществления деятельности по изготовлению продукции: Китай, UNIT C, 3RD FLOOR, ZONGHE BUILDING, NO. 215 YUEHUA ROAD, HULI DISTRICT, XIAMEN, FUJIAN PROVINCE, GLN: 6929020312341.

Код ТН ВЭД ЕАЭС 9405110013. Серийный выпуск

соответствует требованиям

Технического регламента Евразийского экономического союза "Об ограничении применения опасных веществ в изделиях электротехники и радиоэлектроники" (ТР ЕАЭС 037/2016)

Декларация о соответствии принята на основании

Протокола испытаний № СД02-0753 от 30.05.2023 года, выданного Испытательной лабораторией Общества с ограниченной ответственностью "СД ИСПЫТАНИЯ", аттестат аккредитации (уникальный номер записи об аккредитации) РОСС RU.32067.04ОЛГ0.ИЛ.002.

Схема декларирования 1д

Дополнительная информация

Декларация о соответствии действительна с даты регистрации по 29.05.2028 включительно



М. П.

Стрекалов Дмитрий Викторович
(Ф.И.О. заявителя)

Регистрационный номер декларации о соответствии: ЕАЭС N RU Д-CN.РА04.В.28285/23

Дата регистрации декларации о соответствии: 31.05.2023

ЕВРАЗИЙСКИЙ ЭКОНОМИЧЕСКИЙ СОЮЗ

ПРИЛОЖЕНИЕ № 1 лист 1

К ДЕКЛАРАЦИИ О СООТВЕТСТВИИ ЕАЭС N RU Д-СН.РА04.В.28285/23

Перечень продукции, на которую распространяется действие декларации о соответствии

Полное наименование продукции	Сведения о продукции, обеспечивающие ее идентификацию (тип, марка, модель, артикул и др.)	Коды ТН ВЭД ЕАЭС	Обозначение документации, по которой выпускается продукция
Светильник светодиодный торговой марки Онлайт, серии OBL	модели: OBL-O4-8-4K-WH-IP65-LED-DIY, OBL-O4-8-6.5K-WH-IP65-LED-DIY, OBL-O4-12-4K-WH-IP65-LED-DIY, OBL-O4-12-6.5K-WH-IP65-LED-DIY, OBL-O4-15-4K-WH-IP65-LED-DIY, OBL-O4-15-6.5K-WH-IP65-LED-DIY, OBL-O4-20-4K-WH-IP65-LED-DIY, OBL-O4-20-6.5K-WH-IP65-LED-DIY, OBL-O4-25-4K-WH-IP65-LED-DIY, OBL-O4-25-6.5K-WH-IP65-LED-DIY, OBL-R4-8-4K-WH-IP65-LED-DIY, OBL-R4-8-6.5K-WH-IP65-LED-DIY, OBL-R4-12-4K-WH-IP65-LED-DIY, OBL-R4-12-6.5K-WH-IP65-LED-DIY, OBL-R4-15-4K-WH-IP65-LED-DIY, OBL-R4-15-6.5K-WH-IP65-LED-DIY, OBL-R4-20-4K-WH-IP65-LED-DIY, OBL-R4-20-6.5K-WH-IP65-LED-DIY, OBL-R4-25-4K-WH-IP65-LED-DIY, OBL-R4-25-6.5K-WH-IP65-LED-DIY, OBL-R4-8-4K-WH-IP65-LED-SNRM, OBL-R4-8-6.5K-WH-IP65-LED-SNRM, OBL-R4-12-4K-WH-IP65-LED-SNRM, OBL-R4-12-6.5K-WH-IP65-LED-SNRM, OBL-R4-15-4K-WH-IP65-LED-SNRM, OBL-R4-15-6.5K-WH-IP65-LED-SNRM, OBL-R4-20-4K-WH-IP65-LED-SNRM, OBL-R4-20-6.5K-WH-IP65-LED-SNRM, OBL-R4-25-4K-WH-IP65-LED-SNRM, OBL-R4-25-6.5K-WH-IP65-LED-SNRM, OBL-R4-8-4K-WH-IP65-LED-SNRM, OBL-R4-8-6.5K-WH-IP65-LED-SNRM, OBL-R4-12-4K-WH-IP65-LED-SNRM, OBL-R4-12-6.5K-WH-IP65-LED-SNRM, OBL-R4-15-4K-WH-IP65-LED-SNRM, OBL-R4-15-6.5K-WH-IP65-LED-SNRM, OBL-R4-20-4K-WH-IP65-LED-SNRM, OBL-R4-20-6.5K-WH-IP65-LED-SNRM, OBL-R4-25-4K-WH-IP65-LED-SNRM, OBL-R4-25-6.5K-WH-IP65-LED-SNRM, OBL-O4-8-4K-WH-IP65-LED-SNRM, OBL-O4-8-6.5K-WH-IP65-LED-SNRM, OBL-O4-12-4K-WH-IP65-LED-SNRM, OBL-O4-12-6.5K-WH-IP65-LED-SNRM, OBL-O4-15-4K-WH-IP65-LED-SNRM, OBL-O4-15-6.5K-WH-IP65-LED-SNRM, OBL-O4-20-4K-WH-IP65-LED-SNRM, OBL-O4-20-6.5K-WH-IP65-LED-SNRM, OBL-O4-25-4K-WH-IP65-LED-SNRM, OBL-O4-25-6.5K-WH-IP65-LED-SNRM, OBL-O4-8-4K-WH-IP65-LED-SNRM-DIY, OBL-O4-8-6.5K-WH-IP65-LED-SNRM-DIY, OBL-O4-12-4K-WH-IP65-LED-SNRM-DIY, OBL-O4-12-6.5K-WH-IP65-LED-SNRM-DIY, OBL-O4-15-4K-WH-IP65-LED-SNRM-DIY, OBL-O4-15-6.5K-WH-IP65-LED-SNRM-DIY, OBL-O4-20-4K-WH-IP65-LED-SNRM-DIY, OBL-O4-20-6.5K-WH-IP65-LED-SNRM-DIY, OBL-O4-25-4K-WH-IP65-LED-SNRM-DIY, OBL-O4-25-6.5K-WH-IP65-LED-SNRM-DIY, OBL-O4-8-4K-WH-IP65-LED-SNRM-DIY, OBL-O4-8-6.5K-WH-IP65-LED-SNRM-DIY, OBL-O4-12-4K-WH-IP65-LED-SNRM-DIY, OBL-O4-12-6.5K-WH-IP65-LED-SNRM-DIY, OBL-O4-15-4K-WH-IP65-LED-SNRM-DIY, OBL-O4-15-6.5K-WH-IP65-LED-SNRM-DIY, OBL-O4-20-4K-WH-IP65-LED-SNRM-DIY, OBL-O4-20-6.5K-WH-IP65-LED-SNRM-DIY, OBL-O4-25-4K-WH-IP65-LED-SNRM-DIY, OBL-O4-25-6.5K-WH-IP65-LED-SNRM-DIY, OBL-R4-8-4K-WH-IP65-LED-SNRM-DIY, OBL-R4-8-6.5K-WH-IP65-LED-SNRM-DIY, OBL-R4-12-4K-WH-IP65-LED-SNRM-DIY, OBL-R4-12-6.5K-WH-IP65-LED-SNRM-DIY, OBL-R4-15-4K-WH-IP65-LED-SNRM-DIY, OBL-R4-15-6.5K-WH-IP65-LED-SNRM-DIY, OBL-R4-20-4K-WH-IP65-LED-SNRM-DIY, OBL-R4-20-6.5K-WH-IP65-LED-SNRM-DIY, OBL-R4-25-4K-WH-IP65-LED-SNRM-DIY, OBL-R4-25-6.5K-WH-IP65-LED-SNRM-DIY, OBL-R4-8-4K-WH-IP65-LED-SNRM-DIY, OBL-R4-8-6.5K-WH-IP65-LED-SNRM-DIY, OBL-R4-12-4K-WH-IP65-LED-SNRM-DIY, OBL-R4-12-6.5K-WH-IP65-LED-SNRM-DIY, OBL-R4-15-4K-WH-IP65-LED-SNRM-DIY, OBL-R4-15-6.5K-WH-IP65-LED-SNRM-DIY, OBL-R4-20-4K-WH-IP65-LED-SNRM-DIY, OBL-R4-20-6.5K-WH-IP65-LED-SNRM-DIY, OBL-R4-25-4K-WH-IP65-LED-SNRM-DIY, OBL-R4-25-6.5K-WH-IP65-LED-SNRM-DIY, OBL-O6-8-4K-WH-IP65-LED-DIY, OBL-O6-8-6.5K-WH-IP65-LED-DIY, OBL-O6-12-4K-WH-IP65-LED-DIY, OBL-O6-12-6.5K-WH-IP65-LED-DIY, OBL-O6-15-4K-WH-IP65-LED-DIY, OBL-O6-15-6.5K-WH-IP65-LED-DIY, OBL-O6-20-4K-WH-IP65-LED-DIY, OBL-O6-20-6.5K-WH-IP65-LED-DIY, OBL-O6-25-4K-WH-IP65-LED-DIY, OBL-O6-25-6.5K-WH-IP65-LED-DIY, OBL-R6-8-4K-WH-IP65-LED-DIY, OBL-R6-8-6.5K-WH-IP65-LED-DIY, OBL-R6-12-4K-WH-IP65-LED-DIY, OBL-R6-12-6.5K-WH-IP65-LED-DIY, OBL-R6-15-4K-WH-IP65-LED-DIY, OBL-R6-15-6.5K-WH-IP65-LED-DIY, OBL-R6-20-4K-WH-IP65-LED-DIY, OBL-R6-20-6.5K-WH-IP65-LED-DIY, OBL-R6-25-4K-WH-IP65-LED-DIY, OBL-R6-25-6.5K-WH-IP65-LED-DIY, OBL-O7-8-4K-WH-IP65-LED-DIY, OBL-O7-8-6.5K-WH-IP65-LED-DIY, OBL-O7-12-4K-WH-IP65-LED-DIY, OBL-O7-12-6.5K-WH-IP65-LED-DIY, OBL-O7-15-4K-WH-IP65-LED-DIY, OBL-O7-15-6.5K-WH-IP65-LED-DIY, OBL-O7-20-4K-WH-IP65-LED-DIY, OBL-O7-20-6.5K-WH-IP65-LED-DIY, OBL-O7-25-4K-WH-IP65-LED-DIY, OBL-O7-25-6.5K-WH-IP65-LED-DIY, OBL-R7-8-4K-WH-IP65-LED-DIY, OBL-R7-8-6.5K-WH-IP65-LED-DIY;	9405110013	
Светильник светодиодный торговой марки Онлайт, серии OBL	модели: OBL-R7-12-4K-WH-IP65-LED-DIY, OBL-R7-12-6.5K-WH-IP65-LED-DIY, OBL-R7-15-4K-WH-IP65-LED-DIY, OBL-R7-15-6.5K-WH-IP65-LED-DIY, OBL-R7-20-4K-WH-IP65-LED-DIY, OBL-R7-20-6.5K-WH-IP65-LED-DIY, OBL-R7-25-4K-WH-IP65-LED-DIY, OBL-R7-25-6.5K-WH-IP65-LED-DIY, OBL-O8-8-4K-WH-IP65-LED-DIY, OBL-O8-8-6.5K-WH-IP65-LED-DIY, OBL-O8-12-4K-WH-IP65-LED-DIY, OBL-O8-12-6.5K-WH-IP65-LED-DIY, OBL-O8-15-4K-WH-IP65-LED-	9405110013	

Заявитель

подпись

М. П.

Стрекалов Дмитрий Викторович
(Ф.И.О. заявителя)



ЕВРАЗИЙСКИЙ ЭКОНОМИЧЕСКИЙ СОЮЗ

ПРИЛОЖЕНИЕ № 1 лист 2

К ДЕКЛАРАЦИИ О СООТВЕТСТВИИ ЕАЭС N RU Д-СН.РА04.В.28285/23


Полное наименование продукции	Сведения о продукции, обеспечивающие ее идентификацию (тип, марка, модель, артикул и др.)	Коды ТН ВЭД ЕАЭС	Обозначение документации, по которой выпускается продукция
	DIY, OBL-O8-15-6.5K-WH-IP65-LED-DIY, OBL-O8-20-4K-WH-IP65-LED-DIY, OBL-O8-20-6.5K-WH-IP65-LED-DIY, OBL-O8-25-4K-WH-IP65-LED-DIY, OBL-O8-25-6.5K-WH-IP65-LED-DIY, OBL-R8-8-4K-WH-IP65-LED-DIY, OBL-R8-8-6.5K-WH-IP65-LED-DIY, OBL-R8-12-4K-WH-IP65-LED-DIY, OBL-R8-12-6.5K-WH-IP65-LED-DIY, OBL-R8-15-4K-WH-IP65-LED-DIY, OBL-R8-15-6.5K-WH-IP65-LED-DIY, OBL-R8-20-4K-WH-IP65-LED-DIY, OBL-R8-20-6.5K-WH-IP65-LED-DIY, OBL-R8-25-4K-WH-IP65-LED-DIY, OBL-R8-25-6.5K-WH-IP65-LED-DIY, OBL-O6-8-4K-WH-IP65-LED-SNRM-DIY, OBL-O6-8-6.5K-WH-IP65-LED-SNRM-DIY, OBL-O6-12-4K-WH-IP65-LED-SNRM-DIY, OBL-O6-12-6.5K-WH-IP65-LED-SNRM-DIY, OBL-O6-15-4K-WH-IP65-LED-SNRM-DIY, OBL-O6-15-6.5K-WH-IP65-LED-SNRM-DIY, OBL-O6-20-4K-WH-IP65-LED-SNRM-DIY, OBL-O6-20-6.5K-WH-IP65-LED-SNRM-DIY, OBL-O6-25-4K-WH-IP65-LED-SNRM-DIY, OBL-O6-25-6.5K-WH-IP65-LED-SNRM-DIY, OBL-O6-8-4K-WH-IP65-LED-SNRV-DIY, OBL-O6-8-6.5K-WH-IP65-LED-SNRV-DIY, OBL-O6-12-4K-WH-IP65-LED-SNRV-DIY, OBL-O6-12-6.5K-WH-IP65-LED-SNRV-DIY, OBL-O6-15-4K-WH-IP65-LED-SNRV-DIY, OBL-O6-15-6.5K-WH-IP65-LED-SNRV-DIY, OBL-O6-20-4K-WH-IP65-LED-SNRV-DIY, OBL-O6-20-6.5K-WH-IP65-LED-SNRV-DIY, OBL-O6-25-4K-WH-IP65-LED-SNRV-DIY, OBL-O6-25-6.5K-WH-IP65-LED-SNRV-DIY, OBL-R6-8-4K-WH-IP65-LED-SNRM-DIY, OBL-R6-8-6.5K-WH-IP65-LED-SNRM-DIY, OBL-R6-12-4K-WH-IP65-LED-SNRM-DIY, OBL-R6-12-6.5K-WH-IP65-LED-SNRM-DIY, OBL-R6-15-4K-WH-IP65-LED-SNRM-DIY, OBL-R6-15-6.5K-WH-IP65-LED-SNRM-DIY, OBL-R6-20-4K-WH-IP65-LED-SNRM-DIY, OBL-R6-20-6.5K-WH-IP65-LED-SNRM-DIY, OBL-R6-25-4K-WH-IP65-LED-SNRM-DIY, OBL-R6-25-6.5K-WH-IP65-LED-SNRM-DIY, OBL-R6-8-4K-WH-IP65-LED-SNRV-DIY, OBL-R6-8-6.5K-WH-IP65-LED-SNRV-DIY, OBL-R6-12-4K-WH-IP65-LED-SNRV-DIY, OBL-R6-12-6.5K-WH-IP65-LED-SNRV-DIY, OBL-R6-15-4K-WH-IP65-LED-SNRV-DIY, OBL-R6-15-6.5K-WH-IP65-LED-SNRV-DIY, OBL-R6-20-4K-WH-IP65-LED-SNRV-DIY, OBL-R6-20-6.5K-WH-IP65-LED-SNRV-DIY, OBL-R6-25-4K-WH-IP65-LED-SNRV-DIY, OBL-R6-25-6.5K-WH-IP65-LED-SNRV-DIY, OBL-O7-8-4K-WH-IP65-LED-SNRM-DIY, OBL-O7-8-6.5K-WH-IP65-LED-SNRM-DIY, OBL-O7-12-4K-WH-IP65-LED-SNRM-DIY, OBL-O7-12-6.5K-WH-IP65-LED-SNRM-DIY, OBL-O7-15-4K-WH-IP65-LED-SNRM-DIY, OBL-O7-15-6.5K-WH-IP65-LED-SNRM-DIY, OBL-O7-20-4K-WH-IP65-LED-SNRM-DIY, OBL-O7-20-6.5K-WH-IP65-LED-SNRM-DIY, OBL-O7-25-4K-WH-IP65-LED-SNRM-DIY, OBL-O7-25-6.5K-WH-IP65-LED-SNRM-DIY, OBL-O7-8-4K-WH-IP65-LED-SNRV-DIY, OBL-O7-8-6.5K-WH-IP65-LED-SNRV-DIY, OBL-O7-12-4K-WH-IP65-LED-SNRV-DIY, OBL-O7-12-6.5K-WH-IP65-LED-SNRV-DIY, OBL-O7-15-4K-WH-IP65-LED-SNRV-DIY, OBL-O7-15-6.5K-WH-IP65-LED-SNRV-DIY, OBL-O7-20-4K-WH-IP65-LED-SNRV-DIY, OBL-O7-20-6.5K-WH-IP65-LED-SNRV-DIY, OBL-O7-25-4K-WH-IP65-LED-SNRV-DIY, OBL-O7-25-6.5K-WH-IP65-LED-SNRV-DIY, OBL-R7-8-4K-WH-IP65-LED-SNRM-DIY, OBL-R7-8-6.5K-WH-IP65-LED-SNRM-DIY, OBL-R7-12-4K-WH-IP65-LED-SNRM-DIY, OBL-R7-12-6.5K-WH-IP65-LED-SNRM-DIY, OBL-R7-15-4K-WH-IP65-LED-SNRM-DIY, OBL-R7-15-6.5K-WH-IP65-LED-SNRM-DIY, OBL-R7-20-4K-WH-IP65-LED-SNRM-DIY, OBL-R7-20-6.5K-WH-IP65-LED-SNRM-DIY, OBL-R7-25-4K-WH-IP65-LED-SNRM-DIY, OBL-R7-25-6.5K-WH-IP65-LED-SNRM-DIY, OBL-R7-8-4K-WH-IP65-LED-SNRV-DIY, OBL-R7-8-6.5K-WH-IP65-LED-SNRV-DIY, OBL-R7-12-4K-WH-IP65-LED-SNRV-DIY, OBL-R7-12-6.5K-WH-IP65-LED-SNRV-DIY, OBL-R7-15-4K-WH-IP65-LED-SNRV-DIY, OBL-R7-15-6.5K-WH-IP65-LED-SNRV-DIY, OBL-R7-20-4K-WH-IP65-LED-SNRV-DIY, OBL-R7-20-6.5K-WH-IP65-LED-SNRV-DIY;		
Светильник светодиодный торговой марки Онлайт, серии OBL	модели: OBL-R7-25-4K-WH-IP65-LED-SNRV-DIY, OBL-R7-25-6.5K-WH-IP65-LED-SNRV-DIY, OBL-O8-8-4K-WH-IP65-LED-SNRM-DIY, OBL-O8-8-6.5K-WH-IP65-LED-SNRM-DIY, OBL-O8-12-4K-WH-IP65-LED-SNRM-DIY, OBL-O8-12-6.5K-WH-IP65-LED-SNRM-DIY, OBL-O8-15-4K-WH-IP65-LED-SNRM-DIY, OBL-O8-15-6.5K-WH-IP65-LED-SNRM-DIY, OBL-O8-20-4K-WH-IP65-LED-SNRM-DIY, OBL-O8-20-6.5K-WH-IP65-LED-SNRM-DIY, OBL-O8-25-4K-WH-IP65-LED-SNRM-DIY, OBL-O8-25-6.5K-WH-IP65-LED-SNRM-DIY, OBL-O8-8-4K-WH-IP65-LED-SNRV-DIY, OBL-O8-8-6.5K-WH-IP65-LED-SNRV-DIY, OBL-O8-12-4K-WH-IP65-LED-SNRV-DIY, OBL-O8-12-6.5K-WH-IP65-LED-SNRV-DIY, OBL-O8-15-4K-WH-IP65-LED-SNRV-DIY, OBL-O8-15-6.5K-WH-IP65-LED-SNRV-DIY, OBL-O8-20-4K-WH-IP65-LED-SNRV-DIY, OBL-O8-20-6.5K-WH-IP65-LED-SNRV-DIY, OBL-O8-25-4K-WH-IP65-LED-SNRV-DIY, OBL-O8-25-6.5K-WH-IP65-LED-SNRV-DIY, OBL-R8-8-4K-WH-IP65-LED-SNRM-DIY, OBL-R8-8-6.5K-WH-IP65-LED-SNRM-DIY, OBL-R8-12-4K-WH-IP65-LED-SNRM-DIY, OBL-R8-12-6.5K-WH-IP65-LED-SNRM-DIY, OBL-R8-15-4K-WH-IP65-LED-SNRM-DIY, OBL-R8-15-6.5K-WH-IP65-LED-SNRM-DIY, OBL-R8-20-4K-WH-IP65-LED-SNRM-DIY, OBL-R8-20-6.5K-WH-IP65-LED-SNRM-DIY, OBL-R8-25-4K-WH-IP65-LED-SNRM-DIY, OBL-R8-25-6.5K-WH-IP65-LED-SNRM-DIY, OBL-R8-8-4K-WH-IP65-LED-SNRV-DIY, OBL-R8-8-6.5K-WH-IP65-LED-SNRV-DIY, OBL-R8-12-4K-WH-IP65-LED-SNRV-DIY, OBL-R8-12-6.5K-WH-IP65-LED-SNRV-DIY, OBL-R8-15-4K-WH-IP65-LED-SNRV-DIY, OBL-R8-15-6.5K-WH-IP65-LED-SNRV-DIY, OBL-R8-20-4K-WH-IP65-LED-SNRV-DIY, OBL-R8-20-6.5K-WH-IP65-LED-SNRV-DIY;	9405110013	

Заявитель

подпись

М. П.

Стрекалов Дмитрий Викторович
(Ф.И.О. заявителя)



ЕВРАЗИЙСКИЙ ЭКОНОМИЧЕСКИЙ СОЮЗ

ПРИЛОЖЕНИЕ № 1 лист 3

К ДЕКЛАРАЦИИ О СООТВЕТСТВИИ ЕАЭС N RU Д-СН.РА04.В.28285/23

Полное наименование продукции	Сведения о продукции, обеспечивающие ее идентификацию (тип, марка, модель, артикул и др.)	Коды ТН ВЭД ЕАЭС	Обозначение документации, по которой выпускается продукция
	SNRV-DIY, OBL-R8-20-6.5K-WH-IP65-LED-SNRV-DIY, OBL-R8-25-4K-WH-IP65-LED-SNRV-DIY, OBL-R8-25-6.5K-WH-IP65-LED-SNRV-DIY, OBL-R6-8-4K-WH-IP65-LED-SNRM, OBL-R6-8-6.5K-WH-IP65-LED-SNRM, OBL-R6-12-4K-WH-IP65-LED-SNRM, OBL-R6-12-6.5K-WH-IP65-LED-SNRM, OBL-R6-15-4K-WH-IP65-LED-SNRM, OBL-R6-15-6.5K-WH-IP65-LED-SNRM, OBL-R6-20-4K-WH-IP65-LED-SNRM, OBL-R6-20-6.5K-WH-IP65-LED-SNRM, OBL-R6-25-4K-WH-IP65-LED-SNRM, OBL-R6-25-6.5K-WH-IP65-LED-SNRM, OBL-R6-8-4K-WH-IP65-LED-SNRV, OBL-R6-8-6.5K-WH-IP65-LED-SNRV, OBL-R6-12-4K-WH-IP65-LED-SNRV, OBL-R6-12-6.5K-WH-IP65-LED-SNRV, OBL-R6-15-4K-WH-IP65-LED-SNRV, OBL-R6-15-6.5K-WH-IP65-LED-SNRV, OBL-R6-20-4K-WH-IP65-LED-SNRV, OBL-R6-20-6.5K-WH-IP65-LED-SNRV, OBL-R6-25-4K-WH-IP65-LED-SNRV, OBL-R6-25-6.5K-WH-IP65-LED-SNRV, OBL-O7-8-4K-WH-IP65-LED-SNRM, OBL-O7-8-6.5K-WH-IP65-LED-SNRM, OBL-O7-12-4K-WH-IP65-LED-SNRM, OBL-O7-12-6.5K-WH-IP65-LED-SNRM, OBL-O7-15-4K-WH-IP65-LED-SNRM, OBL-O7-15-6.5K-WH-IP65-LED-SNRM, OBL-O7-20-4K-WH-IP65-LED-SNRM, OBL-O7-20-6.5K-WH-IP65-LED-SNRM, OBL-O7-25-4K-WH-IP65-LED-SNRM, OBL-O7-25-6.5K-WH-IP65-LED-SNRM, OBL-O7-8-4K-WH-IP65-LED-SNRV, OBL-O7-8-6.5K-WH-IP65-LED-SNRV, OBL-O7-12-4K-WH-IP65-LED-SNRV, OBL-O7-12-6.5K-WH-IP65-LED-SNRV, OBL-O7-15-4K-WH-IP65-LED-SNRV, OBL-O7-15-6.5K-WH-IP65-LED-SNRV, OBL-O7-20-4K-WH-IP65-LED-SNRV, OBL-O7-20-6.5K-WH-IP65-LED-SNRV, OBL-O7-25-4K-WH-IP65-LED-SNRV, OBL-O7-25-6.5K-WH-IP65-LED-SNRV, OBL-R7-8-4K-WH-IP65-LED-SNRM, OBL-R7-8-6.5K-WH-IP65-LED-SNRM, OBL-R7-12-4K-WH-IP65-LED-SNRM, OBL-R7-12-6.5K-WH-IP65-LED-SNRM, OBL-R7-15-4K-WH-IP65-LED-SNRM, OBL-R7-15-6.5K-WH-IP65-LED-SNRM, OBL-R7-20-4K-WH-IP65-LED-SNRM, OBL-R7-20-6.5K-WH-IP65-LED-SNRM, OBL-R7-25-4K-WH-IP65-LED-SNRM, OBL-R7-25-6.5K-WH-IP65-LED-SNRM, OBL-R7-8-4K-WH-IP65-LED-SNRV, OBL-R7-8-6.5K-WH-IP65-LED-SNRV, OBL-R7-12-4K-WH-IP65-LED-SNRV, OBL-R7-12-6.5K-WH-IP65-LED-SNRV, OBL-R7-15-4K-WH-IP65-LED-SNRV, OBL-R7-15-6.5K-WH-IP65-LED-SNRV, OBL-R7-20-4K-WH-IP65-LED-SNRV, OBL-R7-20-6.5K-WH-IP65-LED-SNRV, OBL-R7-25-4K-WH-IP65-LED-SNRV, OBL-R7-25-6.5K-WH-IP65-LED-SNRV, OBL-O8-8-4K-WH-IP65-LED-SNRM, OBL-O8-8-6.5K-WH-IP65-LED-SNRM, OBL-O8-12-4K-WH-IP65-LED-SNRM, OBL-O8-12-6.5K-WH-IP65-LED-SNRM, OBL-O8-15-4K-WH-IP65-LED-SNRM, OBL-O8-15-6.5K-WH-IP65-LED-SNRM, OBL-O8-20-4K-WH-IP65-LED-SNRM, OBL-O8-20-6.5K-WH-IP65-LED-SNRM, OBL-O8-25-4K-WH-IP65-LED-SNRM, OBL-O8-25-6.5K-WH-IP65-LED-SNRM, OBL-O8-8-4K-WH-IP65-LED-SNRV, OBL-O8-8-6.5K-WH-IP65-LED-SNRV, OBL-O8-12-4K-WH-IP65-LED-SNRV, OBL-O8-12-6.5K-WH-IP65-LED-SNRV, OBL-O8-15-4K-WH-IP65-LED-SNRV, OBL-O8-15-6.5K-WH-IP65-LED-SNRV, OBL-O8-20-4K-WH-IP65-LED-SNRV, OBL-O8-20-6.5K-WH-IP65-LED-SNRV, OBL-O8-25-4K-WH-IP65-LED-SNRV, OBL-O8-25-6.5K-WH-IP65-LED-SNRV;		
Светильник светодиодный торговой марки Онлайт, серии OBL	модели: OBL-O8-20-6.5K-WH-IP65-LED-SNRV, OBL-O8-25-4K-WH-IP65-LED-SNRV, OBL-O8-25-6.5K-WH-IP65-LED-SNRV, OBL-R8-8-4K-WH-IP65-LED-SNRM, OBL-R8-8-6.5K-WH-IP65-LED-SNRM, OBL-R8-12-4K-WH-IP65-LED-SNRM, OBL-R8-12-6.5K-WH-IP65-LED-SNRM, OBL-R8-15-4K-WH-IP65-LED-SNRM, OBL-R8-15-6.5K-WH-IP65-LED-SNRM, OBL-R8-20-4K-WH-IP65-LED-SNRM, OBL-R8-20-6.5K-WH-IP65-LED-SNRM, OBL-R8-25-4K-WH-IP65-LED-SNRM, OBL-R8-25-6.5K-WH-IP65-LED-SNRM, OBL-R8-8-4K-WH-IP65-LED-SNRV, OBL-R8-8-6.5K-WH-IP65-LED-SNRV, OBL-R8-12-4K-WH-IP65-LED-SNRV, OBL-R8-12-6.5K-WH-IP65-LED-SNRV, OBL-R8-15-4K-WH-IP65-LED-SNRV, OBL-R8-15-6.5K-WH-IP65-LED-SNRV, OBL-R8-20-4K-WH-IP65-LED-SNRV, OBL-R8-20-6.5K-WH-IP65-LED-SNRV, OBL-R8-25-4K-WH-IP65-LED-SNRV, OBL-R8-25-6.5K-WH-IP65-LED-SNRV.	9405110013	

Заявитель



подпись М. П.

Стрекалов Дмитрий Викторович
(Ф.И.О. заявителя)