

LEDVANCE.RU

150

75 000

C4

LEDVANCE



FLOODLIGHT GEN 4

LEDVANCE



FLOODLIGHT GEN 4



FLOODLIGHT GEN 4
LEDVANCE
150 / (L80/B10), – 75,000

C4

(IP66/IK08)

FLOODLIGHT GEN 4



+ : 150 /

+ C4 :

+ MULTI SELECT:

+ : C IP66 IK08

- 1
- 2
- 3
- 4
- 5
- 6

PERFOR-
MANCE
CLASS



220-240 (50-60Hz)
<5%
>0,9
-30...+50C



MULTI LUMEN:

MULTI LUMEN

MULTI LUMEN
FLOODLIGHTS GEN 4

	()		()
FL 10	850	↔	1200
FL 20	1650	↔	2400
FL 50	4000	↔	6000
FL 100	8000	↔	10000
FL 150	12800	↔	15000
FL 200	18000	↔	20000
FL 250	22500	↔	25000

FLOODLIGHT GEN 4

C4

FLOODLIGHT GEN 4




FLOODLIGHT GEN 4 SENSOR:

FLOODLIGHT GEN 4 SENSOR



FLOODLIGHT GEN 4.




L/M/H = 10 m ± 2 m

0% - 20% - 40%

EN ISO 12944-2


Gen 4

C4,



*FLOODLIGHT GEN 4:

FLOODLIGHT GEN 4				
	()	()	()	()
2-4				
FL 10 P 8W 1K2LM 830 PS SY100 BK	8	1200	2	4
FL 20 P 17W 2K4LM 830 PS SY100 BK	17	2400	2	4
FL 50 P 41W 6KLM 830 PS SY100 BK	41	6000	2	4
4-14				
FL 100 P 69W 10KLM 830 PS SY100 BK	69	10000	4	8
FL 150 P 100W 15KLM 830 PS SY100 BK	100	15000	6	10
FL 200 P 133W 20KLM 830 PS SY100 BK	133	20000	6	10
FL 250 P 167W 25KLM 830 PS SY100 BK	167	25000	6	14



FLOODLIGHT GEN 4

PERFORMANCE CLASS



EAN																					
FLOODLIGHT 10																					
FL 10 P 8W 1K2LM 830 PS SY100 BK	4099854305689	80W HAL	8/6	1100/780	133	3000	75000	100 × 100	136 × 36 × 127												
FL 10 P 8W 1K2LM 830 PS SY100 WT	4099854305702	80W HAL	8/6	1100/780	133	3000	75000	100 × 100	136 × 36 × 127												
FL 10 P 8W 1K2LM 840 PS SY100 BK	4099854305665	80W HAL	8/6	1200/850	145	4000	75000	100 × 100	136 × 36 × 127												
FL 10 P 8W 1K2LM 840 PS SY100 WT	4099854305726	80W HAL	8/6	1200/850	145	4000	75000	100 × 100	136 × 36 × 127												
FL 10 P 8W 1K2LM 865 PS SY100 BK	4099854305740	80W HAL	8/6	1200/850	145	6500	75000	100 × 100	136 × 36 × 127												
FL 10 P 8W 1K2LM 865 PS SY100 WT	4099854305764	80W HAL	8/6	1200/850	145	6500	75000	100 × 100	136 × 36 × 127												
FLOODLIGHT 20																					
FL 20 P 17W 2K4LM 830 PS SY100 BK	4099854305788	400W HAL	17/11	2200/1465	133	3000	75000	100 × 100	157 × 38 × 141												
FL 20 P 17W 2K4LM 830 PS SY100 WT	4099854305801	400W HAL	17/11	2200/1465	133	3000	75000	100 × 100	157 × 38 × 141												
FL 20 P 17W 2K4LM 840 PS SY100 BK	4099854305825	400W HAL	17/11	2400/1600	145	4000	75000	100 × 100	157 × 38 × 141												
FL 20 P 17W 2K4LM 840 PS SY100 WT	4099854305849	400W HAL	17/11	2400/1600	145	4000	75000	100 × 100	157 × 38 × 141												
FL 20 P 17W 2K4LM 865 PS SY100 BK	4099854305863	400W HAL	17/11	2400/1600	145	6500	75000	100 × 100	157 × 38 × 141												
FL 20 P 17W 2K4LM 865 PS SY100 WT	4099854305887	400W HAL	17/11	2400/1600	145	6500	75000	100 × 100	157 × 38 × 141												
FLOODLIGHT 50																					
FL 50 P 41W 6KLM 830 PS SY100 BK	4099854305924	400W HAL	41/27	5500/3670	133	3000	75000	100 × 100	201 × 43 × 179												
FL 50 P 41W 6KLM 830 PS SY100 WT	4099854305948	400W HAL	41/27	5500/3670	133	3000	75000	100 × 100	201 × 43 × 179												
FL 50 P 41W 6KLM 840 PS SY100 BK	4099854305962	400W HAL	41/27	6000/4000	145	4000	75000	100 × 100	201 × 43 × 179												
FL 50 P 41W 6KLM 840 PS SY100 WT	4099854305986	400W HAL	41/27	6000/4000	145	4000	75000	100 × 100	201 × 43 × 179												
FL 50 P 41W 6KLM 865 PS SY100 BK	4099854306006	400W HAL	41/27	6000/4000	145	6500	75000	100 × 100	201 × 43 × 179												
FL 50 P 41W 6KLM 865 PS SY100 WT	4099854306020	400W HAL	41/27	6000/4000	145	6500	75000	100 × 100	201 × 43 × 179												
FLOODLIGHT 100																					
FL 100 P 69W 10KLM 830 PS SY100 BK	4099854306082	750W HAL	69/53	9150/7320	133	3000	75000	100 × 100	236 × 52 × 236												
FL 100 P 69W 10KLM 830 PS SY100 WT	4099854306143	750W HAL	69/53	9150/7320	133	3000	75000	100 × 100	236 × 52 × 236												
FL 100 P 69W 10KLM 840 PS SY100 BK	4099854306167	750W HAL	69/53	10000/8000	145	4000	75000	100 × 100	236 × 52 × 236												
FL 100 P 69W 10KLM 840 PS SY100 WT	4099854306181	750W HAL	69/53	10000/8000	145	4000	75000	100 × 100	236 × 52 × 236												
FL 100 P 69W 10KLM 865 PS SY100 BK	4099854306204	750W HAL	69/53	10000/8000	145	6500	75000	100 × 100	236 × 52 × 236												
FL 100 P 69W 10KLM 865 PS SY100 WT	4099854306228	750W HAL	69/53	10000/8000	145	6500	75000	100 × 100	236 × 52 × 236												
FLOODLIGHT 150																					
FL 150 P 100W 15KLM 830 PS SY100BK	4099854306242	1000W HAL	100/83	14000/11670	140	3000	75000	100 × 100	266 × 55 × 343												
FL 150 P 100W 15KLM 830 PS SY100WT	4099854306266	1000W HAL	100/83	14000/11670	140	3000	75000	100 × 100	266 × 55 × 343												
FL 150 P 100W 15KLM 840 PS SY100BK	4099854306280	1000W HAL	100/83	15000/12500	150	4000	75000	100 × 100	266 × 55 × 343												
FL 150 P 100W 15KLM 840 PS SY100WT	4099854306303	1000W HAL	100/83	15000/12500	150	4000	75000	100 × 100	266 × 55 × 343												
FL 150 P 100W 15KLM 865 PS SY100BK	4099854306327	1000W HAL	100/83	15000/12500	150	6500	75000	100 × 100	266 × 55 × 343												
FL 150 P 100W 15KLM 865 PS SY100WT	4099854306341	1000W HAL	100/83	15000/12500	150	6500	75000	100 × 100	266 × 55 × 343												
FLOODLIGHT 200																					
FL 200 P 133W 20KLM 830 PS SY100BK	4099854306365	2000W HAL	133/117	18600/16275	140	3000	75000	100 × 100	294 × 58 × 376												
FL 200 P 133W 20KLM 830 PS SY100WT	4099854306389	2000W HAL	133/117	18600/16275	140	3000	75000	100 × 100	294 × 58 × 376												
FL 200 P 133W 20KLM 840 PS SY100BK	4099854306402	2000W HAL	133/117	20000/17500	150	4000	75000	100 × 100	294 × 58 × 376												
FL 200 P 133W 20KLM 840 PS SY100WT	4099854306426	2000W HAL	133/117	20000/17500	150	4000	75000	100 × 100	294 × 58 × 376												
FL 200 P 133W 20KLM 865 PS SY100BK	4099854306464	2000W HAL	133/117	20000/17500	150	6500	75000	100 × 100	294 × 58 × 376												
FL 200 P 133W 20KLM 865 PS SY100WT	4099854306488	2000W HAL	133/117	20000/17500	150	6500	75000	100 × 100	294 × 58 × 376												
FLOODLIGHT 250																					
FL 250 P 167W 25KLM 830 PS SY100BK	4099854306563	2500W HAL	167/150	23400/21060	140	3000	75000	100 × 100	329 × 61 × 409												
FL 250 P 167W 25KLM 830 PS SY100WT	4099854306587	2500W HAL	167/150	23400/21060	140	3000	75000	100 × 100	329 × 61 × 409												
FL 250 P 167W 25KLM 840 PS SY100BK	4099854306600	2500W HAL	167/150	25000/22500	150	4000	75000	100 × 100	329 × 61 × 409												
FL 250 P 167W 25KLM 840 PS SY100WT	4099854306624	2500W HAL	167/150	25000/22500	150	4000	75000	100 × 100	329 × 61 × 409												
FL 250 P 167W 25KLM 865 PS SY100BK	4099854306648	2500W HAL	167/150	25000/22500	150	6500	75000	100 × 100	329 × 61 × 409												
FL 250 P 167W 25KLM 865 PS SY100WT	4099854306662	2500W HAL	167/150	25000/22500	150	6500	75000	100 × 100	329 × 61 × 409												

¹ t[h]: L70/B50 @ 25°C (T_a)/t[h]; L80/B10 @ 25°C (T_a)s

FLOODLIGHT SENSOR GEN 4

PERFORMANCE CLASS



FLOODLIGHT SENSOR 10

FLOODLIGHT SENSOR 20

FLOODLIGHT SENSOR 50

EAN



FLOODLIGHT SENSOR 10



FL 10 SN P 8W 1K2LM 830 PS SY100WT	4099854 306709	80W HAL	8/6	1100/780	133	3000	75000	100×100	136×57×170
FL 10 SN P 8W 1K2LM 830 PS SY100BK	4099854 306747	80W HAL	8/6	1100/780	133	3000	75000	100×100	136×57×170
FL 10 SN P 8W 1K2LM 840 PS SY100WT	4099854 306785	80W HAL	8/6	1200/850	145	4000	75000	100×100	136×57×170
FL 10 SN P 8W 1K2LM 840 PS SY100BK	4099854 306808	80W HAL	8/6	1200/850	145	4000	75000	100×100	136×57×170

FLOODLIGHT SENSOR 20



FL 20 SN P 17W 2K4LM 830 PSSY100WT	4099854 309465	160W HAL	17/11	2200/1465	133	3000	75000	100×100	157×38×183
FL 20 SN P 17W 2K4LM 830 PSSY100BK	4099854 309489	160W HAL	17/11	2200/1465	133	3000	75000	100×100	157×38×183
FL 20 SN P 17W 2K4LM 840 PSSY100WT	4099854 309502	160W HAL	17/11	2400/1600	145	4000	75000	100×100	157×38×183
FL 20 SN P 17W 2K4LM 840 PSSY100BK	4099854 309526	160W HAL	17/11	2400/1600	145	4000	75000	100×100	157×38×183

FLOODLIGHT SENSOR 50



FL 50 SN P 41W 6KLM 830 PS SY100WT	4099854 306822	400W HAL	41/27	5500/3670	133	3000	75000	100×100	201×57×219
FL 50 SN P 41W 6KLM 830 PS SY100BK	4099854 306860	400W HAL	41/27	5500/3670	133	3000	75000	100×100	201×57×219
FL 50 SN P 41W 6KLM 840 PS SY100WT	4099854 306884	400W HAL	41/27	6000/4000	145	4000	75000	100×100	201×57×219
FL 50 SN P 41W 6KLM 840 PS SY100BK	4099854 306921	400W HAL	41/27	6000/4000	145	4000	75000	100×100	201×57×219

FLOODLIGHT SENSOR 10	/	Passive infrared (PIR)	10...2000 lx	2...12 m	40°...160°	10 s...12 min
FLOODLIGHT SENSOR 20	/	Passive infrared (PIR)	10...2000 lx	2...12 m	40°...160°	10 s...12 min
FLOODLIGHT SENSOR 50	/	Passive infrared (PIR)	10...2000 lx	2...12 m	40°...160°	10 s...12 min

FLOODLIGHT PHOTOCELL GEN 4

PERFORMANCE CLASS



FLOODLIGHT PHOTOCELL 100

FLOODLIGHT PHOTOCELL 150

FLOODLIGHT PHOTOCELL 200

EAN



FLOODLIGHT PHOTOCELL 100/150/200



FL 100 PCELL P 69W 840 10KLM PS BK	4099854 306945	750W HAL	69/53	10000/8000	145	4000	75000	100×100	236×52×236
FL 150 PCELL P 100W 840 15KLM PSBK	4099854 307003	1000W HAL	100/83	15000/12500	150	4000	75000	100×100	266×55×343
FL 200 PCELL P 133W 840 20KLM PSBK	4099854 307041	2000W HAL	133/117	20000/17500	150	4000	75000	100×100	294×58×376

FLOODLIGHT PHOTOCELL 100/150/200

Photocell

35...95 lx

¹t[h]: L70/B50 @ 25°C (T_a)/t[h]: L80/B10 @ 25°C (T_a)

LEDVANCE

140 , LEDVANCE

OSRAM, LEDVANCE



LEDVANCE

” ”

, 11